

IsoTop

PROFESSIONAL PVC CLADDING SYSTEM SOLUTION



- Different Colors
- Unique solution for all applications
- Easy stock keeping

Technical Data - IsoTop

Brief description	PVC coating system in different colors.
Material type	Hard PVC Foils with fire protection equipment
Colour	Grey, Black, Nordic White & Sand Grey
Product Range	Rolls, bends, fitting caps, front caps and complete accessories
Applications	Jacket for insulated pipes (incl. bends, branches, fittings, flanges, o.s.) for protection against damages or mechanical stress.
Special Features	No weakening of insulating thickness of bends

Property	Value/Assessment	Special Remark
Temperature Range		
Temperature Range	max. service temperature	+60 °C
	min. service temperature	-20 °C
Fire performance		
Reaction to fire	IsoTop Foil	Moderately flammable (DIN 4102-B2)
Other technical features		
Density	1,37 ± 0,01 g/cm ³	Tested according to DIN 53479
Tensile impact strength	≥ 600 KJ/m ²	Tested according to DIN EN ISO 8256
Tensile strength	40 - 50 N/mm ²	Tested according to DIN 57455

All data and technical information are based on results achieved under typical application conditions. Recipients of this information should, in their own interest and responsibility, clarify with us in due time whether or not the data and information apply to the intended application area.

IsoTop bends, 90°, one-piece 3S, black



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED1220-3SB	10	-	-
17	PED1720-3SB	10	PED1725-3SB	10
21	PED2120-3SB	10	PED2125-3SB	10
27	PED2720-3SB	10	PED2725-3SB	10
34	PED3420-3SB	10	PED3425-3SB	10
43	PED4320-3SB	10	PED4325-3SB	10
48	PED4820-3SB	10	PED4825-3SB	10
54	PED5420-3SB	10	PED5425-3SB	10
60	PED6020-3SB	10	PED6025-3SB	10
64	PED6420-3SB	10	-	-
70	PED7020-3SB	10	-	-
76	PED7620-3SB	10	PED7625-3SB	10
89	PED8920-3SB	10	PED8925-3SB	10
102	PED10220-3SB	10	PED10225-3SB	10
108	PED10820-3SB	10	PED10825-3SB	10
114	PED11420-3SB	10	PED11425-3SB	10
134	-	-	PED13425-3SB	10
140	-	-	PED14025-3SB	10
159	-	-	PED15925-3SB	10
168	-	-	PED16825-3SB	10
219	-	-	PED21925-3SB	10
267	-	-	PED26725-3SB	10
273	-	-	PED27325-3SB	10
324	-	-	PED32425-3SB	10

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-3SB	10	PED1732-3SB	10
21	PED2130-3SB	10	PED2132-3SB	10
27	PED2730-3SB	10	PED2732-3SB	10
34	PED3430-3SB	10	PED3432-3SB	10
43	PED4330-3SB	10	PED4332-3SB	10
48	PED4830-3SB	10	PED4832-3SB	10
54	PED5430-3SB	10	PED5432-3SB	10
57	PED5730-3SB	10	-	-
60	PED6030-3SB	10	PED6032-3SB	10
64	PED6430-3SB	10	-	-
70	PED7030-3SB	10	-	-
76	PED7630-3SB	10	PED7632-3SB	10
89	PED8930-3SB	10	PED8932-3SB	10
102	PED10230-3SB	10	-	-
108	PED10830-3SB	10	-	-
114	PED11430-3SB	10	PED11432-3SB	10
127	PED12730-3SB	10	-	-
134	PED13430-3SB	10	-	-
140	PED14030-3SB	10	PED14032-3SB	10
159	PED15930-3SB	10	-	-
168	PED16830-3SB	10	PED16832-3SB	10
219	PED21930-3SB	10	-	-
267	PED26730-3SB	10	-	-
324	PED32430-3SB	10	-	-

IsoTop bends, 90°, one-piece 3S, black



Pipe max. Outside-Ø [mm]	35,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	-	-	PED1740-3SB	10
21	-	-	PED2140-3SB	10
27	-	-	PED2740-3SB	10
34	-	-	PED3440-3SB	10
43	-	-	PED4340-3SB	10
48	-	-	PED4840-3SB	10
60	-	-	PED6040-3SB	10
70	-	-	PED7040-3SB	10
76	-	-	PED7640-3SB	10
89	PED8935-3SB	10	PED8940-3SB	10
102	-	-	PED10240-3SB	10
108	PED10835-3SB	10	PED10840-3SB	10
114	PED11435-3SB	10	PED11440-3SB	10
134	-	-	PED13440-3SB	10
140	-	-	PED14040-3SB	10
159	-	-	PED15940-3SB	10
168	-	-	PED16840-3SB	10
194	-	-	PED19440-3SB	10
219	-	-	PED21940-3SB	10

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1750-3SB	10	-	-
21	PED2150-3SB	10	-	-
27	PED2750-3SB	10	-	-
34	PED3450-3SB	10	PED3460-3SB	10
43	PED4350-3SB	10	PED4360-3SB	10
48	PED4850-3SB	10	PED4860-3SB	10
54	PED5450-3SB	10	-	-
60	PED6050-3SB	10	PED6060-3SB	10
64	-	-	PED6460-3SB	10
70	PED7050-3SB	10	PED7060-3SB	10
76	PED7650-3SB	10	PED7660-3SB	10
89	PED8950-3SB	10	PED8960-3SB	10
102	PED10250-3SB	10	PED10260-3SB	10
108	PED10850-3SB	10	PED10860-3SB	10
114	PED11450-3SB	10	PED11460-3SB	10
127	PED12750-3SB	10	-	-
134	PED13450-3SB	10	PED13460-3SB	10
140	PED14050-3SB	10	PED14060-3SB	10
159	PED15950-3SB	10	PED15960-3SB	10
168	PED16850-3SB	10	PED16860-3SB	10
194	PED19450-3SB	10	PED19460-3SB	10
219	PED21950-3SB	10	PED21960-3SB	10
245	PED24550-3SB	10	-	-
267	PED26750-3SB	10	PED26760-3SB	10
324	PED32450-3SB	10	-	-

IsoTop bends, 90°, one-piece 3S, black



Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-3SB	10	-	-
43	PED4370-3SB	10	PED4380-3SB	10
48	PED4870-3SB	10	PED4880-3SB	10
60	PED6070-3SB	10	PED6080-3SB	10
70	PED7070-3SB	10	PED7080-3SB	10
76	PED7670-3SB	10	PED7680-3SB	10
89	PED8970-3SB	10	PED8980-3SB	10
108	PED10870-3SB	10	PED10880-3SB	10
114	-	-	PED11480-3SB	10
134	PED13470-3SB	10	PED13480-3SB	10
140	PED14070-3SB	10	PED14080-3SB	10
159	PED15970-3SB	10	PED15980-3SB	10
168	PED16870-3SB	10	PED16880-3SB	10
194	PED19470-3SB	10	PED19480-3SB	10
219	PED21970-3SB	10	PED21980-3SB	10
245	-	-	PED24580-3SB	10
267	-	-	PED26780-3SB	10
273	PED27370-3SB	10	PED27380-3SB	10

Pipe max. Outside-Ø [mm]	90,0 mm		100,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	-	-	PED21100-3SB	10
34	-	-	PED34100-3SB	10
48	PED4890-3SB	10	-	-
60	PED6090-3SB	10	PED60100-3SB	10
76	PED7690-3SB	10	PED76100-3SB	10
89	PED8990-3SB	10	PED89100-3SB	10
108	-	-	PED108100-3SB	10
114	-	-	PED114100-3SB	10
134	-	-	PED134100-3SB	10
140	PED14090-3SB	10	PED140100-3SB	10
159	PED15990-3SB	10	PED159100-3SB	10
168	PED16890-3SB	10	PED168100-3SB	10
194	-	-	PED194100-3SB	10
219	-	-	PED219100-3SB	10
267	-	-	PED267100-3SB	10

IsoTop bends, 90°, one-piece 3S, grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED1220-3SG	10	-	-
17	PED1720-3SG	10	PED1725-3SG	10
21	PED2120-3SG	10	PED2125-3SG	10
27	PED2720-3SG	10	PED2725-3SG	10
34	PED3420-3SG	10	PED3425-3SG	10
43	PED4320-3SG	10	PED4325-3SG	10
48	PED4820-3SG	10	PED4825-3SG	10
54	PED5420-3SG	10	PED5425-3SG	10
60	PED6020-3SG	10	PED6025-3SG	10
64	PED6420-3SG	10	-	-
70	PED7020-3SG	10	-	-
76	PED7620-3SG	10	PED7625-3SG	10
89	PED8920-3SG	10	PED8925-3SG	10
102	PED10220-3SG	10	PED10225-3SG	10
108	PED10820-3SG	10	PED10825-3SG	10
114	PED11420-3SG	10	PED11425-3SG	10
134	-	-	PED13425-3SG	10
140	-	-	PED14025-3SG	10
159	-	-	PED15925-3SG	10
168	-	-	PED16825-3SG	10
219	-	-	PED21925-3SG	10
267	-	-	PED26725-3SG	10
273	-	-	PED27325-3SG	10
324	-	-	PED32425-3SG	10

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-3SG	10	PED1732-3SG	10
21	PED2130-3SG	10	PED2132-3SG	10
27	PED2730-3SG	10	PED2732-3SG	10
34	PED3430-3SG	10	PED3432-3SG	10
43	PED4330-3SG	10	PED4332-3SG	10
48	PED4830-3SG	10	PED4832-3SG	10
54	PED5430-3SG	10	PED5432-3SG	10
57	PED5730-3SG	10	-	-
60	PED6030-3SG	10	PED6032-3SG	10
64	PED6430-3SG	10	-	-
70	PED7030-3SG	10	-	-
76	PED7630-3SG	10	PED7632-3SG	10
89	PED8930-3SG	10	PED8932-3SG	10
102	PED10230-3SG	10	-	-
108	PED10830-3SG	10	-	-
114	PED11430-3SG	10	PED11432-3SG	10
127	PED12730-3SG	10	-	-
134	PED13430-3SG	10	-	-
140	PED14030-3SG	10	PED14032-3SG	10
159	PED15930-3SG	10	-	-
168	PED16830-3SG	10	PED16832-3SG	10
219	PED21930-3SG	10	-	-
267	PED26730-3SG	10	-	-
324	PED32430-3SG	10	-	-

IsoTop bends, 90°, one-piece 3S, grey



Pipe max. Outside-Ø [mm]	35,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	-	-	PED1740-3SG	10
21	-	-	PED2140-3SG	10
27	-	-	PED2740-3SG	10
34	-	-	PED3440-3SG	10
43	-	-	PED4340-3SG	10
48	-	-	PED4840-3SG	10
60	-	-	PED6040-3SG	10
70	-	-	PED7040-3SG	10
76	-	-	PED7640-3SG	10
89	PED 8935-3SG	10	PED8940-3SG	10
102	-	-	PED10240-3SG	10
108	PED10835-3SG	10	PED10840-3SG	10
114	PED11435-3SG	10	PED11440-3SG	10
134	-	-	PED13440-3SG	10
140	-	-	PED14040-3SG	10
159	-	-	PED15940-3SG	10
168	-	-	PED16840-3SG	10
194	-	-	PED19440-3SG	10
219	-	-	PED21940-3SG	10

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1750-3SG	10	-	-
21	PED2150-3SG	10	-	-
27	PED2750-3SG	10	-	-
34	PED3450-3SG	10	PED3460-3SG	10
43	PED4350-3SG	10	PED4360-3SG	10
48	PED4850-3SG	10	PED4860-3SG	10
54	PED5450-3SG	10	-	-
60	PED6050-3SG	10	PED6060-3SG	10
64	-	-	PED6460-3SG	10
70	PED7050-3SG	10	PED7060-3SG	10
76	PED7650-3SG	10	PED7660-3SG	10
89	PED8950-3SG	10	PED8960-3SG	10
102	PED10250-3SG	10	PED10260-3SG	10
108	PED10850-3SG	10	PED10860-3SG	10
114	PED11450-3SG	10	PED11460-3SG	10
127	PED12750-3SG	10	-	-
134	PED13450-3SG	10	PED13460-3SG	10
140	PED14050-3SG	10	PED14060-3SG	10
159	PED15950-3SG	10	PED15960-3SG	10
168	PED16850-3SG	10	PED16860-3SG	10
194	PED19450-3SG	10	PED19460-3SG	10
219	PED21950-3SG	10	PED21960-3SG	10
245	PED24550-3SG	10	-	-
267	PED26750-3SG	10	PED26760-3SG	10
324	PED32450-3SG	10	-	-

IsoTop bends, 90°, one-piece 3S, grey



Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-3SG	10	-	-
43	PED4370-3SG	10	PED4380-3SG	10
48	PED4870-3SG	10	PED4880-3SG	10
60	PED6070-3SG	10	PED6080-3SG	10
70	PED7070-3SG	10	PED7080-3SG	10
76	PED7670-3SG	10	PED7680-3SG	10
89	PED8970-3SG	10	PED8980-3SG	10
108	PED10870-3SG	10	PED10880-3SG	10
114	-	-	PED11480-3SG	10
134	PED13470-3SG	10	PED13480-3SG	10
140	PED14070-3SG	10	PED14080-3SG	10
159	PED15970-3SG	10	PED15980-3SG	10
168	PED16870-3SG	10	PED16880-3SG	10
194	PED19470-3SG	10	PED19480-3SG	10
219	PED21970-3SG	10	PED21980-3SG	10
245	-	-	PED24580-3SG	10
267	-	-	PED26780-3SG	10
273	PED27370-3SG	10	PED27380-3SG	10

Pipe max. Outside-Ø [mm]	90,0 mm		100,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	-	-	PED21100-3SG	10
34	-	-	PED34100-3SG	10
48	PED4890-3SG	10	-	-
60	PED6090-3SG	10	PED60100-3SG	10
76	PED7690-3SG	10	PED76100-3SG	10
89	PED8990-3SG	10	PED89100-3SG	10
108	-	-	PED108100-3SG	10
114	-	-	PED114100-3SG	10
134	-	-	PED134100-3SG	10
140	PED14090-3SG	10	PED140100-3SG	10
159	PED15990-3SG	10	PED159100-3SG	10
168	PED16890-3SG	10	PED168100-3SG	10
194	-	-	PED194100-3SG	10
219	-	-	PED219100-3SG	10
267	-	-	PED267100-3SG	10

IsoTop bends, 90°, one-piece 3S, nordic white



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED1220-3SW	10	-	-
17	PED1720-3SW	10	PED1725-3SW	10
21	PED2120-3SW	10	PED2125-3SW	10
27	PED2720-3SW	10	PED2725-3SW	10
34	PED3420-3SW	10	PED3425-3SW	10
43	PED4320-3SW	10	PED4325-3SW	10
48	PED4820-3SW	10	PED4825-3SW	10
54	PED5420-3SW	10	PED5425-3SW	10
60	PED6020-3SW	10	PED6025-3SW	10
64	PED6420-3SW	10	-	-
70	PED7020-3SW	10	-	-
76	PED7620-3SW	10	PED7625-3SW	10
89	PED8920-3SW	10	PED8925-3SW	10
102	PED10220-3SW	10	PED10225-3SW	10
108	PED10820-3SW	10	PED10825-3SW	10
114	PED11420-3SW	10	PED11425-3SW	10
134	-	-	PED13425-3SW	10
140	-	-	PED14025-3SW	10
159	-	-	PED15925-3SW	10
168	-	-	PED16825-3SW	10
219	-	-	PED21925-3SW	10
267	-	-	PED26725-3SW	10
273	-	-	PED27325-3SW	10
324	-	-	PED32425-3SW	10

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-3SW	10	PED1732-3SW	10
21	PED2130-3SW	10	PED2132-3SW	10
27	PED2730-3SW	10	PED2732-3SW	10
34	PED3430-3SW	10	PED3432-3SW	10
43	PED4330-3SW	10	PED4332-3SW	10
48	PED4830-3SW	10	PED4832-3SW	10
54	PED5430-3SW	10	PED5432-3SW	10
57	PED5730-3SW	10	-	-
60	PED6030-3SW	10	PED6032-3SW	10
64	PED6430-3SW	10	-	-
70	PED7030-3SW	10	-	-
76	PED7630-3SW	10	PED7632-3SW	10
89	PED8930-3SW	10	PED8932-3SW	10
102	PED10230-3SW	10	-	-
108	PED10830-3SW	10	-	-
114	PED11430-3SW	10	PED11432-3SW	10
127	PED12730-3SW	10	-	-
134	PED13430-3SW	10	-	-
140	PED14030-3SW	10	PED14032-3SW	10
159	PED15930-3SW	10	-	-
168	PED16830-3SW	10	PED16832-3SW	10
219	PED21930-3SW	10	-	-
267	PED26730-3SW	10	-	-
324	PED32430-3SW	10	-	-

IsoTop bends, 90°, one-piece 3S, nordic white



Pipe max. Outside-Ø [mm]	35,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	-	-	PED1740-3SW	10
21	-	-	PED2140-3SW	10
27	-	-	PED2740-3SW	10
34	-	-	PED3440-3SW	10
43	-	-	PED4340-3SW	10
48	-	-	PED4840-3SW	10
60	-	-	PED6040-3SW	10
70	-	-	PED7040-3SW	10
76	-	-	PED7640-3SW	10
89	PED8935-3SW	10	PED8940-3SW	10
102	-	-	PED10240-3SW	10
108	PED10835-3SW	10	PED10840-3SW	10
114	PED11435-3SW	10	PED11440-3SW	10
134	-	-	PED13440-3SW	10
140	-	-	PED14040-3SW	10
159	-	-	PED15940-3SW	10
168	-	-	PED16840-3SW	10
194	-	-	PED19440-3SW	10
219	-	-	PED21940-3SW	10

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1750-3SW	10	-	-
21	PED2150-3SW	10	-	-
27	PED2750-3SW	10	-	-
33	-	-	PED3460-3SW	10
34	PED3450-3SW	10	PED3460-3SW	10
43	PED4350-3SW	10	PED4360-3SW	10
48	PED4850-3SW	10	PED4860-3SW	10
54	PED5450-3SW	10	-	-
60	PED6050-3SW	10	PED6060-3SW	10
64	-	-	PED6460-3SW	10
70	PED7050-3SW	10	PED7060-3SW	10
76	PED7650-3SW	10	PED7660-3SW	10
89	PED8950-3SW	10	PED8960-3SW	10
102	PED10250-3SW	10	PED10260-3SW	10
108	PED10850-3SW	10	PED10860-3SW	10
114	PED11450-3SW	10	PED11460-3SW	10
127	PED12750-3SW	10	-	-
134	PED13450-3SW	10	PED13460-3SW	10
140	PED14050-3SW	10	PED14060-3SW	10
159	PED15950-3SW	10	PED15960-3SW	10
168	PED16850-3SW	10	PED16860-3SW	10
194	PED19450-3SW	10	PED19460-3SW	10
219	PED21950-3SW	10	PED21960-3SW	10
245	PED24550-3SW	10	-	-
267	PED26750-3SW	10	PED26760-3SW	10
324	PED32450-3SW	10	-	-

IsoTop bends, 90°, one-piece 3S, nordic white



Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-3SW	10	-	-
43	PED4370-3SW	10	PED4380-3SW	10
48	PED4870-3SW	10	PED4880-3SW	10
60	PED6070-3SW	10	PED6080-3SW	10
70	PED7070-3SW	10	PED7080-3SW	10
76	PED7670-3SW	10	PED7680-3SW	10
89	PED8970-3SW	10	PED8980-3SW	10
108	PED10870-3SW	10	PED10880-3SW	10
114	-	-	PED11480-3SW	10
134	PED13470-3SW	10	PED13480-3SW	10
140	PED14070-3SW	10	PED14080-3SW	10
159	PED15970-3SW	10	PED15980-3SW	10
168	PED16870-3SW	10	PED16880-3SW	10
194	PED19470-3SW	10	PED19480-3SW	10
219	PED21970-3SW	10	PED21980-3SW	10
245	-	-	PED24580-3SW	10
267	-	-	PED26780-3SW	10
273	PED27370-3SW	10	PED27380-3SW	10

Pipe max. Outside-Ø [mm]	90,0 mm		100,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	-	-	PED21100-3SW	10
34	-	-	PED34100-3SW	10
48	PED4890-3SW	10	-	-
60	PED6090-3SW	10	PED60100-3SW	10
76	PED7690-3SW	10	PED76100-3SW	10
89	PED8990-3SW	10	-	-
108	-	-	PED108100-3SW	10
114	-	-	PED114100-3SW	10
134	-	-	PED134100-3SW	10
140	PED14090-3SW	10	PED140100-3SW	10
159	PED15990-3SW	10	PED159100-3SW	10
168	PED16890-3SW	10	PED168100-3SW	10
194	-	-	PED194100-3SW	10
219	-	-	PED219100-3SW	10
267	-	-	PED267100-3SW	10

IsoTop bends, 90°, one-piece 3S, sand grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED1220-3SS	10	-	-
17	PED1720-3SS	10	PED1725-3SS	10
21	PED2120-3SS	10	PED2125-3SS	10
27	PED2720-3SS	10	PED2725-3SS	10
34	PED3420-3SS	10	PED3425-3SS	10
43	PED4320-3SS	10	PED4325-3SS	10
48	PED4820-3SS	10	PED4825-3SS	10
54	PED5420-3SS	10	PED5425-3SS	10
60	PED6020-3SS	10	PED6025-3SS	10
64	PED6420-3SS	10	-	-
70	PED7020-3SS	10	-	-
76	PED7620-3SS	10	PED7625-3SS	10
89	PED8920-3SS	10	PED8925-3SS	10
102	PED10220-3SS	10	PED10225-3SS	10
108	PED10820-3SS	10	PED10825-3SS	10
114	PED11420-3SS	10	PED11425-3SS	10
134	-	-	PED13425-3SS	10
140	-	-	PED14025-3SS	10
159	-	-	PED15925-3SS	10
168	-	-	PED16825-3SS	10
219	-	-	PED21925-3SS	10
267	-	-	PED26725-3SS	10
273	-	-	PED27325-3SS	10
324	-	-	PED32425-3SS	10

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1230-3SS	10	PED1732-3SS	10
17	PED1730-3SS	10	-	-
21	PED2130-3SS	10	PED2132-3SS	10
27	PED2730-3SS	10	PED2732-3SS	10
34	PED3430-3SS	10	PED3432-3SS	10
43	PED4330-3SS	10	PED4332-3SS	10
48	PED4830-3SS	10	PED4832-3SS	10
54	PED5430-3SS	10	PED5432-3SS	10
57	PED5730-3SS	10	-	-
60	PED6030-3SS	10	PED6032-3SS	10
64	PED6430-3SS	10	-	-
70	PED7030-3SS	10	-	-
76	PED7630-3SS	10	PED7632-3SS	10
89	PED8930-3SS	10	PED8932-3SS	10
102	PED10230-3SS	10	-	-
108	PED10830-3SS	10	-	-
114	PED11430-3SS	10	PED11432-3SS	10
127	PED12730-3SS	10	-	-
134	PED13430-3SS	10	-	-
140	PED14030-3SS	10	PED14032-3SS	10
159	PED15930-3SS	10	-	-
168	PED16830-3SS	10	PED16832-3SS	10
219	PED21930-3SS	10	-	-
267	PED26730-3SS	10	-	-
324	PED32430-3SS	10	-	-

IsoTop bends, 90°, one-piece 3S, sand grey



Pipe max. Outside-Ø [mm]	35,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	-	-	PED1740-3SS	10
21	-	-	PED2140-3SS	10
27	-	-	PED2740-3SS	10
34	-	-	PED3440-3SS	10
43	-	-	PED4340-3SS	10
48	-	-	PED4840-3SS	10
60	-	-	PED6040-3SS	10
70	-	-	PED7040-3SS	10
76	-	-	PED7640-3SS	10
89	PED8935-3SS	10	PED8940-3SS	10
102	-	-	PED10240-3SS	10
108	PED10835-3SS	10	PED10840-3SS	10
114	PED11435-3SS	10	PED11440-3SS	10
134	-	-	PED13440-3SS	10
140	-	-	PED14040-3SS	10
159	-	-	PED15940-3SS	10
168	-	-	PED16840-3SS	10
194	-	-	PED19440-3SS	10
219	-	-	PED21940-3SS	10

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1750-3SS	10	-	-
21	PED2150-3SS	10	-	-
27	PED2750-3SS	10	-	-
34	PED3450-3SS	10	PED3460-3SS	10
43	PED4350-3SS	10	PED4360-3SS	10
48	PED4850-3SS	10	PED4860-3SS	10
54	PED5450-3SS	10	-	-
60	PED6050-3SS	10	PED6060-3SS	10
64	-	-	PED6460-3SS	10
70	PED7050-3SS	10	PED7060-3SS	10
76	PED7650-3SS	10	PED7660-3SS	10
89	PED8950-3SS	10	PED8960-3SS	10
102	PED10250-3SS	10	PED10260-3SS	10
108	PED10850-3SS	10	PED10860-3SS	10
114	PED11450-3SS	10	PED11460-3SS	10
127	PED12750-3SS	10	-	-
134	PED13450-3SS	10	PED13460-3SS	10
140	PED14050-3SS	10	PED14060-3SS	10
159	PED15950-3SS	10	PED15960-3SS	10
168	PED16850-3SS	10	PED16860-3SS	10
194	PED19450-3SS	10	PED19460-3SS	10
219	PED21950-3SS	10	PED21960-3SS	10
245	PED24550-3SS	10	-	-
267	PED26750-3SS	10	PED26760-3SS	10
324	PED32450-3SS	10	-	-

IsoTop bends, 90°, one-piece 3S, sand grey



Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-3SS	10	-	-
43	PED4370-3SS	10	PED4380-3SS	10
48	PED4870-3SS	10	PED4880-3SS	10
60	PED6070-3SS	10	PED6080-3SS	10
70	PED7070-3SS	10	PED7080-3SS	10
76	PED7670-3SS	10	PED7680-3SS	10
89	PED8970-3SS	10	PED8980-3SS	10
108	PED10870-3SS	10	PED10880-3SS	10
114	-	-	PED11480-3SS	10
134	PED13470-3SS	10	PED13480-3SS	10
140	PED14070-3SS	10	PED14080-3SS	10
159	PED15970-3SS	10	PED15980-3SS	10
168	PED16870-3SS	10	PED16880-3SS	10
194	PED19470-3SS	10	PED19480-3SS	10
219	PED21970-3SS	10	PED21980-3SS	10
245	-	-	PED24580-3SS	10
267	-	-	PED26780-3SS	10
273	PED27370-3SS	10	PED27380-3SS	10

Pipe max. Outside-Ø [mm]	90,0 mm		100,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	-	-	PED21100-3SS	10
34	-	-	PED34100-3SS	10
48	PED4890-3SS	10	-	-
60	PED6090-3SS	10	PED60100-3SS	10
76	PED7690-3SS	10	PED76100-3SS	10
89	PED8990-3SS	10	-	-
108	-	-	PED108100-3SS	10
114	-	-	PED114100-3SS	10
134	-	-	PED134100-3SS	10
140	PED14090-3SS	10	PED140100-3SS	10
159	PED15990-3SS	10	PED159100-3SS	10
168	PED16890-3SS	10	PED168100-3SS	10
194	-	-	PED194100-3SS	10
219	-	-	PED219100-3SS	10
267	-	-	PED267100-3SS	10

IsoTop bends, 90°, one-piece W, black



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1720-WB	10	PED1725-WB	10
21	PED2120-WB	10	PED2125-WB	10
27	PED2720-WB	10	PED2725-WB	10
34	PED3420-WB	10	PED3425-WB	10
43	PED4320-WB	10	PED4325-WB	10
48	PED4820-WB	10	PED4825-WB	10
60	PED6020-WB	10	PED6025-WB	10
76	PED7620-WB	10	PED7625-WB	10
89	PED8920-WB	10	PED8925-WB	10
114	PED11420-WB	10	-	-

IsoTop bends, 90°, one-piece W, black



Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-WB	10	PED1732-WB	10
21	PED2130-WB	10	PED2132-WB	10
27	PED2730-WB	10	PED2732-WB	10
34	PED3430-WB	10	PED3432-WB	10
43	PED4330-WB	10	PED4332-WB	10
48	PED4830-WB	10	PED4832-WB	10
60	PED6030-WB	10	PED6032-WB	10
76	PED7630-WB	10	PED7632-WB	10
89	PED8930-WB	10	PED8932-WB	10
114	PED11430-WB	10	PED11432-WB	10

Pipe max. Outside-Ø [mm]	40,0 mm		50,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1740-WB	10	PED1750-WB	10
21	PED2140-WB	10	PED2150-WB	10
27	PED2740-WB	10	PED2750-WB	10
34	PED3440-WB	10	PED3450-WB	10
43	PED4340-WB	10	PED4350-WB	10
48	PED4840-WB	10	PED4850-WB	10
60	PED6040-WB	10	PED6050-WB	10
76	PED7640-WB	10	PED7650-WB	10
89	PED8940-WB	10	PED8950-WB	10
114	PED11440-WB	10	-	-

Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-WB	10	-	-
43	PED4370-WB	10	PED4380-WB	10
48	PED4870-WB	10	PED4880-WB	10

Pipe max. Outside-Ø [mm]	90,0 mm			
	Code	Pieces/carton		
48	PED4890-WB	10	-	-

IsoTop bends, 90°, one-piece W, grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1720-WG	10	PED1725-WG	10
21	PED2120-WG	10	PED2125-WG	10
27	PED2720-WG	10	PED2725-WG	10
34	PED3420-WG	10	PED3425-WG	10
43	PED4320-WG	10	PED4325-WG	10
48	PED4820-WG	10	PED4825-WG	10
60	PED6020-WG	10	PED6025-WG	10
76	PED7620-WG	10	PED7625-WG	10
89	PED8920-WG	10	PED8925-WG	10
114	PED11420-WG	10	-	-

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-WG	10	PED1732-WG	10
21	PED2130-WG	10	PED2132-WG	10
27	PED2730-WG	10	PED2732-WG	10
34	PED3430-WG	10	PED3432-WG	10
43	PED4330-WG	10	PED4332-WG	10
48	PED4830-WG	10	PED4832-WG	10
60	PED6030-WG	10	PED6032-WG	10
76	PED7630-WG	10	PED7632-WG	10
89	PED8930-WG	10	PED8932-WG	10
114	PED11430-WG	10	PED11432-WG	10

IsoTop bends, 90°, one-piece W, grey



Pipe max. Outside-Ø [mm]	40,0 mm		50,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1740-WG	10	PED1750-WG	10
21	PED2140-WG	10	PED2150-WG	10
27	PED2740-WG	10	PED2750-WG	10
34	PED3440-WG	10	PED3450-WG	10
43	PED4340-WG	10	PED4350-WG	10
48	PED4840-WG	10	PED4850-WG	10
60	PED6040-WG	10	PED6050-WG	10
76	PED7640-WG	10	PED7650-WG	10
89	PED8940-WG	10	PED8950-WG	10
114	PED11440-WG	10	-	-

Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-WG	10	-	-
43	PED4370-WG	10	PED4380-WG	10
48	PED4870-WG	10	PED4880-WG	10

Pipe max. Outside-Ø [mm]	90,0 mm			
	Code	Pieces/carton		
48	PED4890-WG	10	-	-

IsoTop bends, 90°, one-piece W, nordic white



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1720-WW	10	PED1725-WW	10
21	PED2120-WW	10	PED2125-WW	10
27	PED2720-WW	10	PED2725-WW	10
34	PED3420-WW	10	PED3425-WW	10
43	PED4320-WW	10	PED4325-WW	10
48	PED4820-WW	10	PED4825-WW	10
60	PED6020-WW	10	PED6025-WW	10
76	PED7620-WW	10	PED7625-WW	10
89	PED8920-WW	10	PED8925-WW	10
114	PED11420-WW	10	-	-

Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-WW	10	PED1732-WW	10
21	PED2130-WW	10	PED2132-WW	10
27	PED2730-WW	10	PED2732-WW	10
34	PED3430-WW	10	PED3432-WW	10
43	PED4330-WW	10	PED4332-WW	10
48	PED4830-WW	10	PED4832-WW	10
60	PED6030-WW	10	PED6032-WW	10
76	PED7630-WW	10	PED7632-WW	10
89	PED8930-WW	10	PED8932-WW	10
114	PED11430-WW	10	PED11432-WW	10

Pipe max. Outside-Ø [mm]	40,0 mm		50,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1740-WW	10	PED1750-WW	10
21	PED2140-WW	10	PED2150-WW	10
27	PED2740-WW	10	PED2750-WW	10
34	PED3440-WW	10	PED3450-WW	10
43	PED4340-WW	10	PED4350-WW	10
48	PED4840-WW	10	PED4850-WW	10
60	PED6040-WW	10	PED6050-WW	10
76	PED7640-WW	10	PED7650-WW	10
89	PED8940-WW	10	PED8950-WW	10
114	PED11440-WW	10	-	-

IsoTop bends, 90°, one-piece W, nordic white



Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
34	PED3470-WW	10	-	-
43	PED4370-WW	10	PED4380-WW	10
48	PED4870-WW	10	PED4880-WW	10
Pipe max. Outside-Ø [mm]	90,0 mm			
	Code	Pieces/carton		
48	PED4890-WW	10	-	-

IsoTop bends, 90°, one-piece W, sand grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1720-WS	10	PED1725-WS	10
21	PED2120-WS	10	PED2125-WS	10
27	PED2720-WS	10	PED2725-WS	10
34	PED3420-WS	10	PED3425-WS	10
43	PED4320-WS	10	PED4325-WS	10
48	PED4820-WS	10	PED4825-WS	10
60	PED6020-WS	10	PED6025-WS	10
76	PED7620-WS	10	PED7625-WS	10
89	PED8920-WS	10	PED8925-WS	10
114	PED11420-WS	10	-	-
Pipe max. Outside-Ø [mm]	30,0 mm		32,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1730-WS	10	PED1732-WS	10
21	PED2130-WS	10	PED2132-WS	10
27	PED2730-WS	10	PED2732-WS	10
34	PED3430-WS	10	PED3432-WS	10
43	PED4330-WS	10	PED4332-WS	10
48	PED4830-WS	10	PED4832-WS	10
60	PED6030-WS	10	PED6032-WS	10
76	PED7630-WS	10	PED7632-WS	10
89	PED8930-WS	10	PED8932-WS	10
114	PED11430-WS	10	PED11432-WS	10
Pipe max. Outside-Ø [mm]	40,0 mm		50,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
17	PED1740-WS	10	PED1750-WS	10
21	PED2140-WS	10	PED2150-WS	10
27	PED2740-WS	10	PED2750-WS	10
34	PED3440-WS	10	PED3450-WS	10
43	PED4340-WS	10	PED4350-WS	10
48	PED4840-WS	10	PED4850-WS	10
60	PED6040-WS	10	PED6050-WS	10
76	PED7640-WS	10	PED7650-WS	10
89	PED8940-WS	10	PED8950-WS	10
114	PED11440-WS	10	-	-
Pipe max. Outside-Ø [mm]	70,0 mm		80,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
33	PED3470-WS	10	-	-
34	PED3470-WS	10	-	-
43	PED4370-WS	10	PED4380-WS	10
48	PED4870-WS	10	PED4880-WS	10
Pipe max. Outside-Ø [mm]	90,0 mm			
	Code	Pieces/carton		
48	PED4890-WS	10	-	-

IsoTop bends, 45°, one-piece S, black



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED52-45B	10	PED62-45B	10
17	PED57-45B	10	PED67-45B	10
21	PED62-45B	10	PED72-45B	10
27	PED67-45B	10	PED77-45B	10
34	PED72-45B	10	PED82-45B	10
43	PED82-45B	10	PED92-45B	10
48	PED88-45B	10	-	-
54	PED92-45B	10	PED102-45B	10
60	PED102-45B	10	PED108-45B	10
64	-	-	PED115-45B	10
70	PED108-45B	10	-	-
76	PED115-45B	10	PED128-45B	10
83	PED122-45B	10	-	-
89	PED128-45B	10	PED141-45B	10
102	PED141-45B	10	PED154-45B	10
108	PED149-45B	10	-	-
114	PED154-45B	10	PED167-45B	10
127	PED167-45B	10	PED180-45B	10
140	PED180-45B	10	PED193-45B	10
159	-	-	PED206-45B	10
168	PED206-45B	10	PED219-45B	10

Pipe max. Outside-Ø [mm]	30,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED72-45B	10	PED92-45B	10
17	PED77-45B	10	-	-
21	PED82-45B	10	PED102-45B	10
27	PED88-45B	10	PED108-45B	10
34	PED92-45B	10	PED115-45B	10
43	PED102-45B	10	PED122-45B	10
48	PED108-45B	10	PED128-45B	10
54	PED115-45B	10	-	-
57	-	-	PED136-45B	10
60	PED122-45B	10	PED141-45B	10
70	PED128-45B	10	PED149-45B	10
76	PED136-45B	10	PED154-45B	10
83	PED141-45B	10	-	-
89	PED149-45B	10	PED167-45B	10
102	-	-	PED180-45B	10
108	PED167-45B	10	-	-
114	-	-	PED193-45B	10
127	-	-	PED206-45B	10
134	PED193-45B	10	-	-
140	-	-	PED219-45B	10
159	PED219-45B	10	-	-
168	-	-	PED245-45B	10

IsoTop bends, 45°, one-piece S, black



Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	PED122-45B	10	PED141-45B	10
24	PED128-45B	10	-	-
27	-	-	PED149-45B	10
34	PED136-45B	10	-	-
43	PED141-45B	10	-	-
48	PED149-45B	10	PED167-45B	10
54	PED154-45B	10	-	-
60	-	-	PED180-45B	10
70	PED167-45B	10	-	-
76	PED180-45B	10	PED193-45B	10
89	-	-	PED206-45B	10
108	PED206-45B	10	-	-
114	PED219-45B	10	PED232-45B	10
127	-	-	PED245-45B	10
134	PED232-45B	10	-	-
140	PED245-45B	10	PED258-45B	10
159	PED258-45B	10	-	-
168	PED271-45B	10	-	-

IsoTop bends, 45°, one-piece S, grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED52-45G	10	PED62-45G	10
17	PED57-45G	10	PED67-45G	10
21	PED62-45G	10	PED72-45G	10
27	PED67-45G	10	PED77-45G	10
34	PED72-45G	10	PED82-45G	10
43	PED82-45G	10	PED92-45G	10
48	PED88-45G	10	-	-
54	PED92-45G	10	PED102-45G	10
60	PED102-45G	10	PED108-45G	10
64	-	-	PED115-45G	10
70	PED108-45G	10	-	-
76	PED115-45G	10	PED128-45G	10
83	PED122-45G	10	-	-
89	PED128-45G	10	PED141-45G	10
102	PED141-45G	10	PED154-45G	10
108	PED149-45G	10	-	-
114	PED154-45G	10	PED167-45G	10
127	PED167-45G	10	PED180-45G	10
140	PED180-45G	10	PED193-45G	10
159	-	-	PED206-45G	10
168	PED206-45G	10	PED219-45G	10

IsoTop bends, 45°, one-piece S, grey



Pipe max. Outside-Ø [mm]	30,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED72-45G	10	PED92-45G	10
17	PED77-45G	10	-	-
21	PED82-45G	10	PED102-45G	10
27	PED88-45G	10	PED108-45G	10
34	PED92-45G	10	PED115-45G	10
43	PED102-45G	10	PED122-45G	10
48	PED108-45G	10	PED128-45G	10
54	PED115-45G	10	-	-
57	-	-	PED136-45G	10
60	PED122-45G	10	PED141-45G	10
70	PED128-45G	10	PED149-45G	10
76	PED136-45G	10	PED154-45G	10
83	PED141-45G	10	-	-
89	PED149-45G	10	PED167-45G	10
102	-	-	PED180-45G	10
108	PED167-45G	10	-	-
114	-	-	PED193-45G	10
127	-	-	PED206-45G	10
134	PED193-45G	10	-	-
140	-	-	PED219-45G	10
159	PED219-45G	10	-	-
168	-	-	PED245-45G	10

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	PED122-45G	10	PED141-45G	10
24	PED128-45G	10	-	-
27	-	-	PED149-45G	10
34	PED136-45G	10	-	-
43	PED141-45G	10	-	-
48	PED149-45G	10	PED167-45G	10
54	PED154-45G	10	-	-
60	-	-	PED180-45G	10
70	PED167-45G	10	-	-
76	PED180-45G	10	PED193-45G	10
89	-	-	PED206-45G	10
108	PED206-45G	10	-	-
114	PED219-45G	10	PED232-45G	10
127	-	-	PED245-45G	10
134	PED232-45G	10	-	-
140	PED245-45G	10	PED258-45G	10
159	PED258-45G	10	-	-
168	PED271-45G	10	-	-

IsoTop bends, 45°, one-piece S, nordic white



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED52-45 W	10	PED62-45 W	10
17	PED57-45 W	10	PED67-45 W	10
21	PED62-45 W	10	PED72-45 W	10
27	PED67-45 W	10	PED77-45 W	10
34	PED72-45 W	10	PED82-45 W	10
43	PED82-45 W	10	PED92-45 W	10
48	PED88-45 W	10	-	-
54	PED92-45 W	10	PED102-45 W	10
60	PED102-45 W	10	PED108-45 W	10
64	-	-	PED115-45 W	10
70	PED108-45 W	10	-	-
76	PED115-45 W	10	PED128-45 W	10
83	PED122-45 W	10	-	-
89	PED128-45 W	10	PED141-45 W	10
102	PED141-45 W	10	PED154-45 W	10
108	PED149-45 W	10	-	-
114	PED154-45 W	10	PED167-45 W	10
127	PED167-45 W	10	PED180-45 W	10
140	PED180-45 W	10	PED193-45 W	10
159	-	-	PED206-45 W	10
168	PED206-45 W	10	PED219-45 W	10

Pipe max. Outside-Ø [mm]	30,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED72-45 W	10	PED92-45 W	10
17	PED77-45 W	10	-	-
21	PED82-45 W	10	PED102-45 W	10
27	PED88-45 W	10	PED108-45 W	10
34	PED92-45 W	10	PED115-45 W	10
43	PED102-45 W	10	PED122-45 W	10
48	PED108-45 W	10	PED128-45 W	10
54	PED115-45 W	10	-	-
57	-	-	PED136-45 W	10
60	PED122-45 W	10	PED141-45 W	10
70	PED128-45 W	10	PED149-45 W	10
76	PED136-45 W	10	PED154-45 W	10
83	PED141-45 W	10	-	-
89	PED149-45 W	10	PED167-45 W	10
102	-	-	PED180-45 W	10
108	PED167-45 W	10	-	-
114	-	-	PED193-45 W	10
127	-	-	PED206-45 W	10
134	PED193-45 W	10	-	-
140	-	-	PED219-45 W	10
159	PED219-45 W	10	-	-
168	-	-	PED245-45 W	10

IsoTop bends, 45°, one-piece S, nordic white



Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	PED122-45 W	10	PED141-45 W	10
24	PED128-45 W	10	-	-
27	-	-	PED149-45 W	10
34	PED136-45 W	10	-	-
43	PED141-45 W	10	-	-
48	PED149-45 W	10	PED167-45 W	10
54	PED154-45 W	10	-	-
60	-	-	PED180-45 W	10
70	PED167-45 W	10	-	-
76	PED180-45 W	10	PED193-45 W	10
89	-	-	PED206-45 W	10
108	PED206-45 W	10	-	-
114	PED219-45 W	10	PED232-45 W	10
127	-	-	PED245-45 W	10
134	PED232-45 W	10	-	-
140	PED245-45 W	10	PED258-45 W	10
159	PED258-45 W	10	-	-
168	PED271-45 W	10	-	-

IsoTop bends, 45°, one-piece S, sand grey



Pipe max. Outside-Ø [mm]	20,0 mm		25,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED52-45S	10	PED62-45S	10
17	PED57-45S	10	PED67-45S	10
21	PED62-45S	10	PED72-45S	10
27	PED67-45S	10	PED77-45S	10
34	PED72-45S	10	PED82-45S	10
43	PED82-45S	10	PED92-45S	10
48	PED88-45S	10	-	-
54	PED92-45S	10	PED102-45S	10
60	PED102-45S	10	PED108-45S	10
64	-	-	PED115-45S	10
70	PED108-45S	10	-	-
76	PED115-45S	10	PED128-45S	10
83	PED122-45S	10	-	-
89	PED128-45S	10	PED141-45S	10
102	PED141-45S	10	PED154-45S	10
108	PED149-45S	10	-	-
114	PED154-45S	10	PED167-45S	10
127	PED167-45S	10	PED180-45S	10
140	PED180-45S	10	PED193-45S	10
159	-	-	PED206-45S	10
168	PED206-45S	10	PED219-45S	10

IsoTop bends, 45°, one-piece S, sand grey



Pipe max. Outside-Ø [mm]	30,0 mm		40,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
12	PED72-45S	10	PED92-45S	10
17	PED77-45S	10	-	-
21	PED82-45S	10	-	-
27	PED88-45S	10	-	-
34	PED92-45S	10	-	-
43	PED102-45S	10	-	-
48	PED108-45S	10	-	-
54	PED115-45S	10	-	-
60	PED122-45S	10	-	-
70	PED128-45S	10	-	-
76	PED136-45S	10	-	-
83	PED141-45S	10	-	-
89	PED149-45S	10	-	-
108	PED167-45S	10	-	-
134	PED193-45S	10	-	-
159	PED219-45S	10	-	-

Pipe max. Outside-Ø [mm]	50,0 mm		60,0 mm	
	Code	Pieces/carton	Code	Pieces/carton
21	PED122-45S	10	PED141-45S	10
24	PED128-45S	10	-	-
27	-	-	PED149-45S	10
34	PED136-45S	10	-	-
43	PED141-45S	10	-	-
48	PED149-45S	10	PED167-45S	10
54	PED154-45S	10	-	-
60	-	-	PED180-45S	10
70	PED167-45S	10	-	-
76	PED180-45S	10	PED193-45S	10
89	-	-	PED206-45S	10
108	PED206-45S	10	-	-
114	PED219-45S	10	PED232-45S	10
127	-	-	PED245-45S	10
134	PED232-45S	10	-	-
140	PED245-45S	10	PED258-45S	10
159	PED258-45S	10	-	-
168	PED271-45S	10	-	-

IsoTop branches, black



Branches Main Pipe 52 - 108 mm				Branches Main Pipe 116 - 245 mm			
Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar	Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar
100	100	PTD100100-B	10	116	116	PTD116116-B	10
100	61	PTD10061-B	10	120	120	PTD120120-B	10
100	67	PTD10067-B	10	128	128	PTD128128-B	10
100	74	PTD10074-B	10	136	136	PTD136136-B	10
100	83	PTD10083-B	10	140	108	PTD140108-B	10
100	88	PTD10088-B	10	140	120	PTD140120-B	10
100	94	PTD10094-B	10	140	128	PTD140128-B	10
103	100	PTD103100-B	10	140	140	PTD140140-B	10
103	103	PTD103103-B	10	140	67	PTD14067-B	10
103	61	PTD10361-B	10	140	94	PTD14094-B	10
103	67	PTD10367-B	10	149	149	PTD149149-B	10
103	74	PTD10374-B	10	156	103	PTD156103-B	10
103	83	PTD10383-B	10	156	108	PTD156108-B	10
103	88	PTD10388-B	10	156	140	PTD156140-B	10
103	94	PTD10394-B	10	156	156	PTD156156-B	10
108	100	PTD108100-B	10	156	94	PTD15694-B	10
108	103	PTD108103-B	10	169	140	PTD169140-B	10
108	108	PTD108108-B	10	169	149	PTD169149-B	10
108	61	PTD10861-B	10	169	156	PTD169156-B	10
108	67	PTD10867-B	10	169	169	PTD169169-B	10
108	74	PTD10874-B	10	176	176	PTD176176-B	10
108	83	PTD10883-B	10	182	182	PTD182182-B	10
108	88	PTD10888-B	10	189	189	PTD189189-B	10
108	94	PTD10894-B	10	194	194	PTD194194-B	10
52	52	PTD5252-B	10	214	140	PTD214140-B	10
57	52	PTD5752-B	10	214	156	PTD214156-B	10
57	57	PTD5757-B	10	214	169	PTD214169-B	10
61	52	PTD6152-B	10	214	182	PTD214182-B	10
61	57	PTD6157-B	10	214	189	PTD214189-B	10
61	61	PTD6161-B	10	214	194	PTD214194-B	10
67	52	PTD6752-B	10	214	214	PTD214214-B	10
67	57	PTD6757-B	10	245	189	PTD245189-B	10
67	61	PTD6761-B	10	245	218	PTD245218-B	10
67	67	PTD6767-B	10	245	245	PTD245245-B	10
74	61	PTD7461-B	10	-	-	-	-
74	67	PTD7467-B	10	-	-	-	-
74	74	PTD7474-B	10	-	-	-	-
83	61	PTD8361-B	10	-	-	-	-
83	67	PTD8367-B	10	-	-	-	-
83	74	PTD8374-B	10	-	-	-	-
83	83	PTD8383-B	10	-	-	-	-
88	61	PTD8861-B	10	-	-	-	-
88	67	PTD8867-B	10	-	-	-	-
88	74	PTD8874-B	10	-	-	-	-
88	83	PTD8883-B	10	-	-	-	-
88	88	PTD8888-B	10	-	-	-	-
94	61	PTD9461-B	10	-	-	-	-
94	67	PTD9467-B	10	-	-	-	-
94	74	PTD9474-B	10	-	-	-	-
94	83	PTD9483-B	10	-	-	-	-
94	88	PTD9488-B	10	-	-	-	-
94	94	PTD9494-B	10	-	-	-	-

IsoTop branches, grey



Branches Main Pipe 52 - 108 mm				Branches Main Pipe 116 - 245 mm			
Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar	Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar
100	100	PTD100100-G	10	116	116	PTD116116-G	10
100	61	PTD10061-G	10	120	120	PTD120120-G	10
100	67	PTD10067-G	10	128	128	PTD128128-G	10
100	74	PTD10074-G	10	136	136	PTD136136-G	10
100	83	PTD10083-G	10	140	108	PTD140108-G	10
100	88	PTD10088-G	10	140	120	PTD140120-G	10
100	94	PTD10094-G	10	140	128	PTD140128-G	10
103	100	PTD103100-G	10	140	140	PTD140140-G	10
103	103	PTD103103-G	10	140	67	PTD14067-G	10
103	61	PTD10361-G	10	140	94	PTD14094-G	10
103	67	PTD10367-G	10	149	149	PTD149149-G	10
103	74	PTD10374-G	10	156	103	PTD156103-G	10
103	83	PTD10383-G	10	156	108	PTD156108-G	10
103	88	PTD10388-G	10	156	140	PTD156140-G	10
103	94	PTD10394-G	10	156	156	PTD156156-G	10
108	100	PTD108100-G	10	156	94	PTD15694-G	10
108	103	PTD108103-G	10	169	140	PTD169140-G	10
108	108	PTD108108-G	10	169	149	PTD169149-G	10
108	61	PTD10861-G	10	169	156	PTD169156-G	10
108	67	PTD10867-G	10	169	169	PTD169169-G	10
108	74	PTD10874-G	10	176	176	PTD176176-G	10
108	83	PTD10883-G	10	182	182	PTD182182-G	10
108	88	PTD10888-G	10	189	189	PTD189189-G	10
108	94	PTD10894-G	10	194	194	PTD194194-G	10
52	52	PTD5252-G	10	214	140	PTD214140-G	10
57	52	PTD5752-G	10	214	156	PTD214156-G	10
57	57	PTD5757-G	10	214	169	PTD214169-G	10
61	52	PTD6152-G	10	214	182	PTD214182-G	10
61	57	PTD6157-G	10	214	189	PTD214189-G	10
61	61	PTD6161-G	10	214	194	PTD214194-G	10
67	52	PTD6752-G	10	214	214	PTD214214-G	10
67	57	PTD6757-G	10	245	189	PTD245189-G	10
67	61	PTD6761-G	10	245	218	PTD245218-G	10
67	67	PTD6767-G	10	245	245	PTD245245-G	10
74	61	PTD7461-G	10	-	-	-	-
74	67	PTD7467-G	10	-	-	-	-
74	74	PTD7474-G	10	-	-	-	-
83	61	PTD8361-G	10	-	-	-	-
83	67	PTD8367-G	10	-	-	-	-
83	74	PTD8374-G	10	-	-	-	-
83	83	PTD8383-G	10	-	-	-	-
88	61	PTD8861-G	10	-	-	-	-
88	67	PTD8867-G	10	-	-	-	-
88	74	PTD8874-G	10	-	-	-	-
88	83	PTD8883-G	10	-	-	-	-
88	88	PTD8888-G	10	-	-	-	-
94	61	PTD9461-G	10	-	-	-	-
94	67	PTD9467-G	10	-	-	-	-
94	74	PTD9474-G	10	-	-	-	-
94	83	PTD9483-G	10	-	-	-	-
94	88	PTD9488-G	10	-	-	-	-
94	94	PTD9494-G	10	-	-	-	-

IsoTop branches, nordic white



Branches Main Pipe 52 - 108 mm				Branches Main Pipe 116 - 245 mm			
Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar	Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar
100	100	PTD100100-W	10	116	116	PTD116116-W	10
100	61	PTD10061-W	10	120	120	PTD120120-W	10
100	67	PTD10067-W	10	128	128	PTD128128-W	10
100	74	PTD10074-W	10	136	136	PTD136136-W	10
100	83	PTD10083-W	10	140	108	PTD140108-W	10
100	88	PTD10088-W	10	140	120	PTD140120-W	10
100	94	PTD10094-W	10	140	128	PTD140128-W	10
103	100	PTD103100-W	10	140	140	PTD140140-W	10
103	103	PTD103103-W	10	140	67	PTD14067-W	10
103	61	PTD10361-W	10	140	94	PTD14094-W	10
103	67	PTD10367-W	10	149	149	PTD149149-W	10
103	74	PTD10374-W	10	156	103	PTD156103-W	10
103	83	PTD10383-W	10	156	108	PTD156108-W	10
103	88	PTD10388-W	10	156	140	PTD156140-W	10
103	94	PTD10394-W	10	156	156	PTD156156-W	10
108	100	PTD108100-W	10	156	94	PTD15694-W	10
108	103	PTD108103-W	10	169	140	PTD169140-W	10
108	108	PTD108108-W	10	169	149	PTD169149-W	10
108	61	PTD10861-W	10	169	156	PTD169156-W	10
108	67	PTD10867-W	10	169	169	PTD169169-W	10
108	74	PTD10874-W	10	176	176	PTD176176-W	10
108	83	PTD10883-W	10	182	182	PTD182182-W	10
108	88	PTD10888-W	10	189	189	PTD189189-W	10
108	94	PTD10894-W	10	194	194	PTD194194-W	10
52	52	PTD5252-W	10	214	140	PTD214140-W	10
57	52	PTD5752-W	10	214	156	PTD214156-W	10
57	57	PTD5757-W	10	214	169	PTD214169-W	10
61	52	PTD6152-W	10	214	182	PTD214182-W	10
61	57	PTD6157-W	10	214	189	PTD214189-W	10
61	61	PTD6161-W	10	214	194	PTD214194-W	10
67	52	PTD6752-W	10	214	214	PTD214214-W	10
67	57	PTD6757-W	10	245	189	PTD245189-W	10
67	61	PTD6761-W	10	245	218	PTD245218-W	10
67	67	PTD6767-W	10	245	245	PTD245245-W	10
74	61	PTD7461-W	10	-	-	-	-
74	67	PTD7467-W	10	-	-	-	-
74	74	PTD7474-W	10	-	-	-	-
83	61	PTD8361-W	10	-	-	-	-
83	67	PTD8367-W	10	-	-	-	-
83	74	PTD8374-W	10	-	-	-	-
83	83	PTD8383-W	10	-	-	-	-
88	61	PTD8861-W	10	-	-	-	-
88	67	PTD8867-W	10	-	-	-	-
88	74	PTD8874-W	10	-	-	-	-
88	83	PTD8883-W	10	-	-	-	-
88	88	PTD8888-W	10	-	-	-	-
94	61	PTD9461-W	10	-	-	-	-
94	67	PTD9467-W	10	-	-	-	-
94	74	PTD9474-W	10	-	-	-	-
94	83	PTD9483-W	10	-	-	-	-
94	88	PTD9488-W	10	-	-	-	-
94	94	PTD9494-W	10	-	-	-	-

IsoTop branches, sand grey



Branches Main Pipe 52 - 108 mm				Branches Main Pipe 116 - 245 mm			
Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar	Outer- Ø main pipe	Outer- Ø branch pipe	Code	Pcs./collar
100	100	PTD100100-S	10	116	116	PTD116116-S	10
100	61	PTD10061-S	10	120	120	PTD120120-S	10
100	67	PTD10067-S	10	128	128	PTD128128-S	10
100	74	PTD10074-S	10	136	136	PTD136136-S	10
100	83	PTD10083-S	10	140	108	PTD140108-S	10
100	88	PTD10088-S	10	140	120	PTD140120-S	10
100	94	PTD10094-S	10	140	128	PTD140128-S	10
103	100	PTD103100-S	10	140	140	PTD140140-S	10
103	103	PTD103103-S	10	140	67	PTD14067-S	10
103	61	PTD10361-S	10	140	94	PTD14094-S	10
103	67	PTD10367-S	10	149	149	PTD149149-S	10
103	74	PTD10374-S	10	156	103	PTD156103-S	10
103	83	PTD10383-S	10	156	108	PTD156108-S	10
103	88	PTD10388-S	10	156	140	PTD156140-S	10
103	94	PTD10394-S	10	156	156	PTD156156-S	10
108	100	PTD108100-S	10	156	94	PTD15694-S	10
108	103	PTD108103-S	10	169	140	PTD169140-S	10
108	108	PTD108108-S	10	169	149	PTD169149-S	10
108	61	PTD10861-S	10	169	156	PTD169156-S	10
108	67	PTD10867-S	10	169	169	PTD169169-S	10
108	74	PTD10874-S	10	176	176	PTD176176-S	10
108	83	PTD10883-S	10	182	182	PTD182182-S	10
108	88	PTD10888-S	10	189	189	PTD189189-S	10
108	94	PTD10894-S	10	194	194	PTD194194-S	10
52	52	PTD5252-S	10	214	140	PTD214140-S	10
57	52	PTD5752-S	10	214	156	PTD214156-S	10
57	57	PTD5757-S	10	214	169	PTD214169-S	10
61	52	PTD6152-S	10	214	182	PTD214182-S	10
61	57	PTD6157-S	10	214	189	PTD214189-S	10
61	61	PTD6161-S	10	214	194	PTD214194-S	10
67	52	PTD6752-S	10	214	214	PTD214214-S	10
67	57	PTD6757-S	10	245	189	PTD245189-S	10
67	61	PTD6761-S	10	245	218	PTD245218-S	10
67	67	PTD6767-S	10	245	245	PTD245245-S	10
74	61	PTD7461-S	10	-	-	-	-
74	67	PTD7467-S	10	-	-	-	-
74	74	PTD7474-S	10	-	-	-	-
83	61	PTD8361-S	10	-	-	-	-
83	67	PTD8367-S	10	-	-	-	-
83	74	PTD8374-S	10	-	-	-	-
83	83	PTD8383-S	10	-	-	-	-
88	61	PTD8861-S	10	-	-	-	-
88	67	PTD8867-S	10	-	-	-	-
88	74	PTD8874-S	10	-	-	-	-
88	83	PTD8883-S	10	-	-	-	-
88	88	PTD8888-S	10	-	-	-	-
94	61	PTD9461-S	10	-	-	-	-
94	67	PTD9467-S	10	-	-	-	-
94	74	PTD9474-S	10	-	-	-	-
94	83	PTD9483-S	10	-	-	-	-
94	88	PTD9488-S	10	-	-	-	-
94	94	PTD9494-S	10	-	-	-	-

IsoTop front caps, black



Diameter [mm]	Code	Pieces/carton
60-70	PCD60/70-B	10
70-80	PCD70/80-B	10
60-70	PCD60/70-B	10
80-90	PCD80/90-B	10
90-100	PCD90/100-B	10
100-110	PCD100/110-B	10
110-130	PCD110/130-B	10
130-150	PCD130/150-B	10
150-170	PCD150/170-B	10
170-190	PCD170/190-B	10
190-210	PCD190/210-B	10
210-250	PCD210/250-B	10
250-300	PCD250/300-B	10
300-350	PCD300/350-B	10
350-400	PCD350/400-B	10
400-450	PCD400/450-B	10

IsoTop front caps, grey



Diameter [mm]	Code	Pieces/carton
60-70	PCD60/70-G	10
70-80	PCD70/80-G	10
70-80	PCD70/80-G	10
80-90	PCD80/90-G	10
90-100	PCD90/100-G	10
100-110	PCD100/110-G	10
110-130	PCD110/130-G	10
130-150	PCD130/150-G	10
150-170	PCD150/170-G	10
170-190	PCD170/190-G	10
190-210	PCD190/210-G	10
210-250	PCD210/250-G	10
250-300	PCD250/300-G	10
300-350	PCD300/350-G	10
350-400	PCD350/400-G	10
400-450	PCD400/450-G	10

IsoTop front cap, nordic white



Diameter [mm]	Code	Pieces/carton
60-70	PCD60/70-W	10
70-80	PCD70/80-W	10
60-70	PCD60/70-W	10
80-90	PCD80/90-W	10
90-100	PCD90/100-W	10
100-110	PCD100/110-W	10
110-130	PCD110/130-W	10
130-150	PCD130/150-W	10
150-170	PCD150/170-W	10
170-190	PCD170/190-W	10
190-210	PCD190/210-W	10
210-250	PCD210/250-W	10
250-300	PCD250/300-W	10
300-350	PCD300/350-W	10
350-400	PCD350/400-W	10
400-450	PCD400/450-W	10

IsoTop front cap, sand grey



Diameter [mm]	Code	Pieces/carton
60-70	PCD60/70-S	10
70-80	PCD70/80-S	10
60-70	PCD60/70-S	10
80-90	PCD80/90-S	10
90-100	PCD90/100-S	10
100-110	PCD100/110-S	10
110-130	PCD110/130-S	10
130-150	PCD130/150-S	10
150-170	PCD150/170-S	10
170-190	PCD170/190-S	10
190-210	PCD190/210-S	10
210-250	PCD210/250-S	10
250-300	PCD250/300-S	10
300-350	PCD300/350-S	10
350-400	PCD350/400-S	10
400-450	PCD400/450-S	10

IsoTop rivets



Code	Article description	Pieces/bag	Pieces/carton
PRIV-B	Rivets Black	1000	1000
PRIV-G	Rivets Grey	1000	1000
PRIV-W	Rivets Nordic White	1000	1000

IsoTop riveting tools



Code	Article description	Pieces/bag	Pieces/carton
TOOLDOUBLER	Combi - Straight & Angle	5	5

IsoTop tapes self-adhesive



Code	Colour	Width [mm]	Length [m]	Thickness [mm]	Rolls/carton
PTAPE19X33-G	Grey	19,0	33	0.15	5
PTAPE25X25-B	Black	25,0	25	0.15	5
PTAPE25X25-W	Nordic White	25,0	25	0.15	5
PTAPE25X33-G	Grey	25,0	33	0.15	5
PTAPE30X25-B	Black	30,0	25	0.15	5
PTAPE30X25-W	Nordic White	30,0	25	0.15	5
PTAPE30X33-G	Grey	30,0	33	0.15	5
PTAPE50X25-B	Black	50,0	25	0.15	5
PTAPE50X25-W	Nordic White	50,0	25	0.15	5
PTAPE50X33-G	Grey	50,0	33	0.15	5

IsoTop bandages



Code	Width [mm]	Length [m]	Thickness [mm]	Rolls/carton
PBD100X50	100,0	50	0.25	5
PBD30X100	30,0	100	0.25	5
PBD50X50	50,0	50	0.25	5

IsoTop Wire

Code	Thickness [mm]	Length [m]
WIGAL06	0.6	40

IsoTop Cutting Table



Code	Length [m]
CUTTABLE10	1
CUTTABLE12	1.2
CUTTABLE14	1.4

IsoTop Rosette Endcapping PVC



Length 10,0

Black			Grey		
Lamella length [mm]	Code	Rolls/carton	Lamella length [mm]	Code	Rolls/carton
18	PMD18-B	5	18	PMD18-G	5
23	PMD23-B	5	23	PMD23-G	5
28	PMD28-B	5	28	PMD28-G	5
38	PMD38-B	5	38	PMD38-G	5
48	PMD48-B	5	48	PMD48-G	5

Nordic White			Sandgrey		
Lamella length [mm]	Code	Rolls/carton	Lamella length [mm]	Code	Rolls/carton
18	PMD18-W	5	18	PMD18-S	5
23	PMD23-W	5	23	PMD23-S	5
28	PMD28-W	5	28	PMD28-S	5
38	PMD38-W	5	38	PMD38-S	5
48	PMD48-W	5	48	PMD48-S	5

IsoTop Rosette Endcapping Aluminium



Length 10,0

Black			Grey		
Lamella length [mm]	Code	Rolls/carton	Lamella length [mm]	Code	Rolls/carton
18	AMD18-B	5	13	AMD13-G	5
23	AMD23-B	5	18	AMD18-G	5
28	AMD28-B	5	23	AMD23-G	5
38	AMD38-B	5	28	AMD28-G	5
48	AMD48-B	5	38	AMD38-G	5
58	AMD58-B	5	48	AMD48-G	5
-	-	-	58	AMD58-G	5
-	-	-	68	AMD68-G	5
-	-	-	78	AMD78-G	5
-	-	-	88	AMD88-G	5
-	-	-	98	AMD98-G	5

Blue			Red		
Lamella length [mm]	Code	Rolls/carton	Lamella length [mm]	Code	Rolls/carton
18	AMD18-BLUE	5	18	AMD18-RED	5
23	AMD23-BLUE	5	23	AMD23-RED	5
28	AMD28-BLUE	5	28	AMD28-RED	5
38	AMD38-BLUE	5	38	AMD38-RED	5
48	AMD48-BLUE	5	48	AMD48-RED	5
58	AMD58-BLUE	5	58	AMD58-RED	5